

GOLDRING



EST. 1906



Listino Prezzi Suggeriti Al Pubblico
GIUGNO 2026




TESTINE A MAGNETE MOBILE

Serie E

TESTINE MM

Le testine MM Goldring Serie E utilizzano la tecnologia *Magnetic Duplex Technology™*, una costruzione che traccia in maniera accurata i solchi del disco fornendo una migliore separazione stereo ed un'immagine sonora avvolgente e musicale.

E1



Testina MM entry-level con cantilever in fibra di carbonio rinforzata e stilo sferico.

Frequency Response: 20 Hz–20 kHz $\pm$ 3 dB;

Load Resistance: 47 k Ω ;

Load Capacitance: 100 - 200 pF (150 pF nominal);

Cartridge Mass: 6.8 g;

Cartridge Mass (inc. fixings): 7.8 g;

Playing Weight: 1.75 – 2.25 g (2 g nominal);

Cartridge Height: 17 mm;


Recommended Tonearm Effective Mass:
10 – 30 g .

E1

pz

€ 99,-

E2



Testina MM con cantilever in **alluminio** e stilo sferico.

Frequency Response: 20 Hz–20 kHz $\pm$ 3 dB;

Load Resistance: 47 k Ω ;

Load Capacitance: 100 - 200 pF (150 pF nominal);

Cartridge Mass: 6.8 g;

Cartridge Mass (inc. fixings): 7.8 g;

Playing Weight: 1.75 – 2.25 g (2 g nominal);

Cartridge Height: 17 mm;

Recommended Tonearm Effective Mass:
10 – 30 g .

E2

pz

€ 120,-

TESTINE MM

Le testine MM Goldring Serie E utilizzano la tecnologia *Magnetic Duplex Technology™*, una costruzione che traccia in maniera accurata i solchi del disco fornendo una migliore separazione stereo ed un'immagine sonora avvolgente e musicale.

E3



Testina MM con cantilever in alluminio e **stilo super-ellittico**.

Frequency Response: 20 Hz-20 kHz $\pm$ 3 dB;

Load Resistance: 47 k Ω ;

Load Capacitance: 100 - 200 pF (150 pF nominal);

Cartridge Mass: 6.8 g;

Cartridge Mass (**inc. fixings**): 7.8 g;

Playing Weight: 1.75 - 2.25 g (2 g nominal);

Cartridge Height: 17 mm;

Recommended Tonearm Effective Mass:
10 - 30 g .

E3

pz

€ 165,-

E4



Testina MM **top della serie E**, con cantilever in alluminio e **stilo Nude Elliptical**.

Frequency Response: 20 Hz-20 kHz $\pm$ 3 dB;

Load Resistance: 47 k Ω ;

Load Capacitance: 100 - 200 pF (150 pF nominal);

Cartridge Mass: 6.8 g;

Cartridge Mass (**inc. fixings**): 7.8 g;

Playing Weight: 1.75 - 2.25 g (2 g nominal);

Cartridge Height: 17 mm;

Recommended Tonearm Effective Mass:
5 - 20 g .

E4

pz

€ 295,-



STILI Serie E

E1 stilo (stilo per testina MM E1)

pz

€ 74,-

E2 stilo (stilo per testina MM E2)

pz

€ 87,-

E3 stilo (stilo per testina MM E3)

pz

€ 120,-

E4 stilo (stilo per testina MM E4)

pz

€ 230,-

A close-up photograph of a Goldring G1042 mobile magnetic pickup installed on a turntable. The pickup is a black, rectangular component with a gold-colored ring on its side. It is mounted on a black turntable with a clear dust cover. A black cable extends from the pickup, and several colored wires (red, green, blue, and white) are visible. The background is a blurred view of the turntable's platter and tonearm.

TESTINE A MAGNETE MOBILE

Serie 1000

TESTINE MM

Low Mass Pocan® Body: le testine MM Goldring Serie 1000 utilizzano un robusto corpo monoblocco realizzato in uno speciale tipo di poliestere ultra-rigido rinforzato con fibra di vetro, che può essere avvitato saldamente al portatestina per la massima efficienza e una qualità del suono ottimale.

1006



Testina MM di **ingresso della Serie 1000**, con cantilever in alluminio e stilo ellittico.
Frequency Response: 20 Hz-20 kHz $\pm$ 3 dB;
Load Resistance: 47 k Ω ;
Load Capacitance: 125 - 225 pF (175 pF nominal);
Cartridge Mass: 6.2 g;
Cartridge Mass (**inc. fixings**): 7.6 g;
Playing Weight: 1.5 – 2 g (1.75 g nominal);
Cartridge Height: 17 mm;
Recommended Tonearm Effective Mass: 5 – 25 g .

1006

pz

€ 390,-

1012GX



Testina MM con cantilever in alluminio e **stilo Gyger II**.
Frequency Response: 20 Hz-20 kHz $\pm$ 3 dB;
Load Resistance: 47 k Ω ;
Load Capacitance: 125 - 225 pF (175 pF nominal);
Cartridge Mass: 6.2 g;
Cartridge Mass (**inc. fixings**): 7.6 g;
Playing Weight: 1.5 – 2 g (1.75 g nominal);
Cartridge Height: 17 mm;
Recommended Tonearm Effective Mass: 5 – 25 g .

1012GX

pz

€ 540,-

TESTINE MM

Low Mass Pocan® Body: le testine MM Goldring Serie 1000 utilizzano un robusto corpo monoblocco realizzato in uno speciale tipo di poliestere ultra-rigido rinforzato con fibra di vetro, che può essere avvitato saldamente al portatestina per la massima efficienza e una qualità del suono ottimale.

1022GX



Testina MM con cantilever in alluminio e
stilo Vital PH.

Frequency Response: 20 Hz-20 kHz $\pm$ 3 dB;

Load Resistance: 47 k Ω ;

Load Capacitance: 125 - 225 pF (175 pF nominal);

Cartridge Mass: 6.2 g;

Cartridge Mass (**inc. fixings**): 7.6 g;

Playing Weight: 1.5 – 2 g (1.75 g nominal);

Cartridge Height: 17 mm;

Recommended Tonearm Effective Mass:
5 – 25 g .

1022GX

pz

€ 590,-

1042



Testina MM con cantilever in alluminio e
stilo Gyger S.

Frequency Response: 20 Hz-20 kHz $\pm$ 3 dB;

Load Resistance: 47 k Ω ;

Load Capacitance: 125 - 225 pF (175 pF nominal);

Cartridge Mass: 6.2 g;

Cartridge Mass (**inc. fixings**): 7.6 g;

Playing Weight: 1.5 – 2 g (1.75 g nominal);

Cartridge Height: 17 mm;

Recommended Tonearm Effective Mass:
5 – 25 g .

1042

pz

€ 620,-



STILI

Serie 1000

D06 (stilo per testina MM 1006)

pz

€ 225,-

D12GX (stilo per testina MM 1012GX)

pz

€ 370,-

D22GX (stilo per testina MM 1022GX)

pz

€ 390,-

D42 (stilo per testina MM 1042)

pz

€ 440,-



TESTINE A BOBINA MOBILE

EROICA LX



Testina MC con **magnete in Neodymio**, **corpo in Pocan** e **stilo Gyger II diamond profile**.

Frequency Response: 20 Hz–20 kHz $\pm$ 3 dB;
Frequency Range: 10 Hz – 50 kHz;
Load Resistance: 100 Ω ;
Load Capacitance: 100 - 500 pF;
Cartridge Mass: 5.2 g;
Cartridge Mass (**inc. fixings**): 6.6 g;
Playing Weight: 1.5 – 2 g (1.75 g nominal);
Cartridge Height: 17 mm;
Recommended Tonearm Effective Mass:
5 – 25 g.

EROICA LX

pz

€ 770,-

EROICA HX



Testina MC con **design mirato** a ridurre le interferenze e la massa effettiva, **avvolgimento ultrafine**, **corpo in Pocan** e **stilo Gyger II diamond profile**.

Frequency Response: 20 Hz–20 kHz $\pm$ 3 dB;
Frequency Range: 10 Hz – 50 kHz;
Load Resistance: 47 K Ω ;
Load Capacitance: 100 - 500 pF;
Cartridge Mass: 5.2 g;
Cartridge Mass (**inc. fixings**): 6.6 g;
Playing Weight: 1.5 – 2 g (1.75 g nominal);
Cartridge Height: 17 mm;
Recommended Tonearm Effective Mass:
5 – 25 g.

EROICA HX

pz

€ 830,-

ELITE



Testina MC con **magnete in Neodymio**, **corpo in Pocan** e **stilo Gyger S line-contact nude diamond**.

Frequency Response: 20 Hz–30 kHz $\pm$ 3 dB;
Frequency Range: 12 Hz – 51 kHz;
Load Resistance: 100 Ω ;
Load Capacitance: 100 - 550 pF;
Cartridge Mass: 5.5 g;
 Cartridge Mass (**inc. fixings**): 6.75 g;
Playing Weight: 1.5 – 2 g (1.75 g nominal);
Cartridge Height: 17 mm;
Recommended Tonearm Effective Mass: 5 – 20 g.

ELITE

pz

€ 990,-

ETHOS



Testina MC di altissimo livello, con cantilever in lega, **magnete in Neodymio** e **stilo con profilo Vital line-contact**.

Frequency Response: 35 Hz–20 kHz $\pm$ 2 dB;
Frequency Range: 10 Hz – 32 kHz;
Load Resistance: 100 Ω ;
Load Capacitance: 100 – 1.000 pF;
Cartridge Mass: 7.7 g;
 Cartridge Mass (**inc. fixings**): 8.5 g;
Playing Weight: 1.5 – 2 g (1.75 g nominal);

ETHOS

pz

€ 1.280,-



Testina MC di Riferimento del Marchio.
Bobine in argento puro (con numero inferiore di spire e conduttività maggiore),
corpo in alluminio anodizzato derivato dall'uso aeronautico, **stilo con profilo Vital line-contact.**

Frequency Response: 20 Hz-20 kHz $\pm$ 2 dB;

Frequency Range: 12 Hz - 32 kHz;

Load Resistance: 100 Ω ;

Load Capacitance: 100 - 500 pF;

Cartridge Mass: 7.7 g;

Cartridge Mass (inc. fixings): 8.5 g;

Playing Weight: 1.5 - 2 g (1.75 g nominal);

ETHOS SE

pz

€ 1.670,-



A close-up photograph of a mechanical device, possibly a watch movement or a precision instrument. The device features a prominent circular lens or window in the foreground. Behind the lens, various mechanical components are visible, including a stylized 'G' logo on a metal plate. The background is a solid, warm orange color. The word 'ACCESSORI' is overlaid in white, bold, sans-serif capital letters across the center of the image.

ACCESSORI

Extract Stylus Cleaning Kit



Kit per la pulizia dello stilo composto da una lente di ingrandimento, una spazzola per la pulizia dello stilo antistatica e un contenitore di gel detergente.

Essenziale per ogni appassionato di vinile che vuole mantenere lo stilo della testina del giradischi in condizioni ottimali senza rischio di danni. **Ideale sia per la manutenzione quotidiana che per una pulizia più approfondita.**

Extract Stylus Cleaning Kit

pz

€ 69,-

Carbon Fibre Record Brush



Spazzola in fibra di carbonio per rimuovere polvere o particelle dai vinili e ridurre le scariche elettrostatiche.

Da utilizzare asciutto – strumento per spolverare, non per pulire. Il processo si esegue al meglio con il disco in rotazione prima della riproduzione.

Carbon Fibre Record Brush

pz

€ 30,-

Zerostat



Efficace nel neutralizzare le cariche statiche senza l'impiego di spray.

Zerostat è molto apprezzato per la sua capacità di migliorare la qualità del suono di dischi e CD rimuovendo l'elettricità statica senza rischi di danneggiare il supporto.

Dalla costruzione durevole, non necessita di batterie.

Zerostat

pz

€ 110,-

Exstatic Record Sleeves



Buste antistatiche per LP (25pz).

La maggior parte dei vinili si carica positivamente dall'elettricità statica, attraendo e polvere e sporcia nei solchi del disco, causando clic, crepitii e rumori di superficie, oltre ad accelerare il deterioramento dello stilo.

Queste custodie proteggono con eleganza il disco, riducendo la carica positiva e di conseguenza rilasciando la polvere.

Exstatic Record Sleeves

pz

€ 37,-

GOLDRING



EST. 1906



www.goldring.co.uk