

B-SYSTEM
INSTALLATION SOLUTIONS

Listino Suggestito al Pubblico

Valido dal 1 Gennaio 2026



Euroboxx

Euroboxx

Backbox for onsite concrete: ceiling installation backbox Euroboxx consisting of EPS base body with glued-in OSB back wall cover and OSB front panel (quartz bridge) with defined cut-out (120 mm-280 mm), acoustically optimized thanks to internal acoustic damping foam.



i Also suitable for exposed concrete ceilings


! Please follow our instructions for installation in exposed concrete



Listino Suggerito al Pubblico
(IVA escl.)

Euroboxx 2nd Generation


SKU	Product	Volume	Dimensions	EUR
1012XXX	Euroboxx S	5.50 l	330 × 330 × 120 mm	109.00
1022XXX	Euroboxx M	8.50 l	330 × 330 × 160 mm	119.00
1032XXX	Euroboxx L	13.50 l	390 × 390 × 175 mm	129.00
1042XXX	Euroboxx XL	16.20 l	390 × 390 × 200 mm	189.00



**Euroboxx
Precast**

Euroboxx Precast


Universal installation backbox for prefabricated concrete ceilings, element ceilings and filigree ceilings: the Euroboxx Precast is an acoustically optimized backbox that can be integrated into the concrete slab right at the factory. For flexible planning and safe installation, the desired cut-out for the majority of installation loudspeakers can universally be made after completion.



Euroboxx Precast

**Listino Suggesto al
Pubblico**
(IVA escl.)



SKU	Product	Volume	Dimensions	EUR
1000402	Euroboxx L Precast	13.50 l	390 × 390 × 162.5 mm	169.00



**Euroboxx
Invisible**

Euroboxx Invisible (Sonance Invisible)


Backbox for concrete ceilings and walls, brick walls for Sonance Invisible flush-mounted speakers. The integrated height adjustment from 0 mm to 40 mm ensures simple and smooth further processing for all finishes and ceiling and wall plaster thicknesses. The all-round base body made of EPS/EPP is low-resonance and has sound-insulating properties. Includes protective cover, accessories and installation instructions.



Euroboxx Invisible (Sonance Invisible)

**Listino Suggesto al
Pubblico**
(IVA escl.)

SKU	Product	Installation depth (inside)	Volume	Dimensions	EUR
1000406	Euroboxx Invisible, IS6	100 mm	16.70 l	490 × 490 × 125 mm	419.00
1000408	Euroboxx Invisible, IS8/IS10W	100 mm	24.60 l	695 × 490 × 125 mm	449.00
1000410	Euroboxx Invisible, IS10	100 mm	29.00 l	810 × 490 × 125 mm	499.00
1000412	Euroboxx Invisible, IS10 2W	100 mm	43.75 l	1190 × 490 × 125 mm	549.00



Wallboxx

Wallboxx 2nd Generation

Universal installation backbox for concrete and brick walls: Wallboxx allows professional installations of in-wall speakers. Front and rear panels made of OSB (including quartz bridge), integrates seamlessly into the workflow for easy processing of the wall surface. The surrounding base body made of EPS/EPP is lowresonance and has sound-insulating properties.



i Other custom sizes available on request at an additional fee

Wallboxx 2nd Generation

**Listino Suggestito
al Pubblico**
(IVA escl.)




SKU	Product	Installation depth (inside)	Volume	Dimensions	EUR
1001210	Wallboxx XS, 2. Gen. universal	110 mm	7.60 l	390 × 290 × 125 mm	199.00
1001220	Wallboxx S, 2. Gen. universal	110 mm	12.60 l	590 × 290 × 125 mm	209.00
1001230	Wallboxx M, 2. Gen. universal	110 mm	11.40 l	390 × 390 × 125 mm	239.00
1001240	Wallboxx L, 2. Gen. universal	110 mm	18.00 l	590 × 390 × 125 mm	249.00
1001250	Wallboxx L+, 2. Gen. universal	110 mm	24.70 l	790 × 390 × 125 mm	269.00
1001260	Wallboxx XL, 2. Gen. universal	110 mm	31.40 l	990 × 390 × 125 mm	289.00
1001270	Wallboxx XXL, 2. Gen. universal	110 mm	44.80 l	1390 × 390 × 125 mm	319.00



Dryboxx

Dryboxx

Acoustically optimized wall and ceiling backbox for drywalls and suspended ceilings. Premium backbox made of high-quality MDF panels and interior insulation at studio level quality. Equipped with decoupling mat and ready for installation.



Dryboxx

Listino Sugerito al Pubblico
(IVA escl.)

SKU	Product	Volume	Dimensions	EUR
1000510	Dryboxx XS	8.80 l	430 × 330 × 97 mm	209.00
1000520	Dryboxx S	15.00 l	430 × 330 × 147 mm	229.00
1000530	Dryboxx M	21.20 l	430 × 330 × 197 mm	239.00
1000540	Dryboxx L	36.90 l	555 × 430 × 197 mm	279.00
1000550	Dryboxx wall XS *	15.30 l	555 × 430 × 97 mm	229.00
1000560	Dryboxx wall S *	24.40 l	670 × 555 × 97 mm	299.00
1000570	Dryboxx wall M *	33.40 l	910 × 555 × 97 mm	339.00
1000580	Dryboxx wall L *	42.50 l	1150 × 555 × 97 mm	379.00
1000999	Defined cut-out	On request, per backbox		30.00

* All Dryboxx wall backboxes suitable for both ceilings and walls.

B-SYSTEM GmbH
Wilhelmstr. 20-5
D-78652 Deisslingen

Phone: +49 (0)7420 889 889
E-mail: info@b-system.com
Web: www.b-system.com

B-SYSTEM
INSTALLATION SOLUTIONS



Dryboxx Exterior

Acoustically optimized wall and ceiling installation backbox for drywall and suspended ceilings, especially in demanding outdoor areas such as terraces, but also for areas such as indoor swimming pools, wet rooms, showers, and sauna areas and hammams. Backbox consisting of high-quality MDF exterior panels and internal insulation (acoustic dimpled foam) at studio level. Ready for installation and easy to install, including decoupling mat with printed maximum cutout.



Dryboxx Exterior

Listino Suggestito al Pubblico
(IVA escl.)





SKU	Product	Installation depth	Volume	Dimensions	EUR
1002510	Dryboxx XS Exterior	97.5 mm	8.80 l	430 × 330 × 97 mm	299.00
1002520	Dryboxx S Exterior	147.5 mm	15.00 l	430 × 330 × 147 mm	319.00
1002530	Dryboxx M Exterior	197.5 mm	21.20 l	430 × 330 × 197 mm	339.00
1002540	Dryboxx L Exterior	197.5 mm	36.90 l	555 × 430 × 197 mm	389.00
1002550	Dryboxx wall XS* Exterior	97.5 mm	15.30 l	555 × 430 × 97 mm	319.00
1002560	Dryboxx wall S* Exterior	97.5 mm	24.40 l	670 × 555 × 97 mm	419.00
1002570	Dryboxx wall M* Exterior	97.5 mm	33.40 l	910 × 555 × 97 mm	479.00
1002580	Dryboxx wall L* Exterior	97.5 mm	42.50 l	1150 × 555 × 97 mm	529.00
1000999	Defined cut-out		On request, per backbox		30.00

* All Dryboxx Exterior backboxes are suitable for both in-ceiling and in-wall installation



Dryboxx retrofit

Acoustically optimized wall and ceiling backbox for retrofitting in drywalls and suspended ceilings. Installation backbox consisting of high-quality MDF panels and interior insulation at studio level quality. Ready for retrofit installation including CD profiles and screws.



Dryboxx Retrofit

Listino Suggestito al Pubblico
(IVA escl.)

SKU	Product	Installation depth	Volume	Dimensions	EUR
1001510	Dryboxx XS retrofit	97.5 mm	8.80 l	430 × 330 × 97 mm	289.00
1001520	Dryboxx S retrofit	147.5 mm	15.00 l	430 × 330 × 147 mm	299.00
1001530	Dryboxx M retrofit	197.5 mm	21.20 l	430 × 330 × 197 mm	319.00
1001540	Dryboxx L retrofit	197.5 mm	36.90 l	555 × 430 × 197 mm	409.00
1001550	Dryboxx wall XS retrofit*	97.5 mm	15.30 l	555 × 430 × 97 mm	359.00
1001560	Dryboxx wall S retrofit*	97.5 mm	24.40 l	670 × 555 × 97 mm	429.00
1001570	Dryboxx wall M retrofit*	97.5 mm	33.40 l	910 × 555 × 97 mm	469.00
1001580	Dryboxx wall L retrofit*	97.5 mm	42.50 l	1150 × 555 × 97 mm	519.00
1000999	Defined cut-out		On request, per backbox		30.00

* All Dryboxx wall backboxes suitable for both ceilings and walls.



Dryboxx
Invisible
(Sonance)

Dryboxx Invisible (Sonance)

Especially developed for the Sonance Invisible series, acoustically optimized installation backbox for drywall and suspended ceilings. Installation backbox consisting of high-quality MDF panels and internal insulation (acoustic damping foam) in studio level quality. Ready for installation and easy to mount incl. decoupling mat.



Dryboxx Invisible (Sonance)

Listino Suggestito al
Pubblico
(IVA escl.)

SKU	Product	Installation depth	Volume	Dimensions	EUR
1501600	Dryboxx Invisible IS6	85.0 mm	20.00 l	555 × 555 × 97 mm	349.00
1501610	Dryboxx Invisible IS6T	85.0 mm	20.00 l	555 × 555 × 105 mm	349.00
1501400	Dryboxx Invisible IS8/ IS10W	85.0 mm	24.35 l	670 × 555 × 97 mm	379.00
1501410	Dryboxx Invisible IS8T	85.0 mm	24.35 l	670 × 555 × 105 mm	379.00
1501500	Dryboxx Invisible IS10	85.0 mm	33.40 l	910 × 555 × 97 mm	429.00



Dryboxx
Invisible
(Stealth)

Dryboxx Invisible (Stealth)

Especially developed for the Stealth invisible speakers, acoustically optimized installation backbox for drywall and suspended ceilings. Installation backbox consisting of high-quality MDF panels and internal insulation (acoustic damping foam) in studio level quality. Ready for installation and easy to mount incl. decoupling mat.



Drywall



Ceiling



Wall



Vapour
Barrier



Acoustics

Dryboxx Invisible (Stealth)

Listino Suggestito al
Pubblico
(IVA escl.)


SKU	Product	Installation depth	Volume	Dimension	EUR
1501470	Dryboxx Invisible Stealth S LR 6G, LRX-85 (Mid/Tweeter)	85.0 mm	15.70 l	555 × 430 × 97 mm	319.00
1501460	Dryboxx Invisible Stealth M LR 8G, LRX-83, B 22G, SLR 8G	85.0 mm	24.30 l	555 × 670 × 97 mm	379.00
1501480	Dryboxx Invisible Stealth L LR 3G, B 30G, LRX-85 (Woofer)	85.0 mm	33.40 l	910 × 555 × 97 mm	429.00



Onboxx

Onboxx

High-quality onwall and onceiling enclosure for custom install speakers. The Onboxx is an acoustically optimized surface-mounted enclosure in five standard sizes for surface mounting on all ceilings and walls. The robust wall thickness of the enclosure and the studio-level internal insulation are designed to meet the highest demands.



Onboxx

Listino Suggesto al Pubblico
(IVA escl.)

SKU	Product	Installation depth	Volume	Dimension	EUR
○ 1000605 ● 1000645	Onboxx Slim	50 mm	2.50 l	290 × 290 × 66 mm	259.00
○ 1000610 ● 1000650	Onboxx XS, universal	90 mm	4.50 l	290 × 290 × 106 mm	269.00
○ 1000620 ● 1000660	Onboxx S, universal	140 mm	8.20 l	290 × 290 × 156 mm	289.00
○ 1000630 ● 1000670	Onboxx M, universal	140 mm	14.20 l	390 × 390 × 156 mm	359.00
○ 1000640 ● 1000680	Onboxx L, universal	190 mm	20.40 l	390 × 390 × 206 mm	389.00
○ 1000690 ● 1000691	Cover Slim/XS/S	—	—	290 × 290 × 12 mm	79.00
○ 1000692 ● 1000693	Cover M/L	—	—	390 × 390 × 12 mm	89.00


NEW



FlushFit

FlushFit (Sonance)

The FlushFit set enables flush mounting of all Sonance VX & VXQ speakers to be installed flush in ceilings or walls. The FlushFit adapter can be installed in new or existing ceilings or walls (retrofit), with or without backbox (Dryboxx).



Sonance Trimless Grille



i Optional spacer rings are used to adapt the FlushFit system to different plaster thicknesses or special ceiling conditions, for example for flush installation in acoustic ceilings.

FlushFit

Listino Suggestito al Pubblico
(IVA escl.)

SKU	Product	EUR
1004400	FlushFit VX (Sonance VX, 4")	119.00
1004600	FlushFit VX (Sonance VX, 6")	139.00
1004800	FlushFit VX (Sonance VX, 8")	159.00
1005400	FlushFit VXQ (James by Sonance VXQ, 4")	119.00
1005600	FlushFit VXQ (James by Sonance VXQ, 6")	139.00
1005800	FlushFit VXQ (James by Sonance VXQ, 8")	159.00





Also for
SONOS
Era100 Pro



Gineos

Gineos® ONE

Ceiling and wall installation kit for Sonos Era 100, Era 100 Pro, One, One SL, Play:1, Denon Home 150 and Bluesound Pulse Flex 2i, BSP 200, as well as BSP 125. Gineos is a complete system including premium design covers in white or anthracite. The installation of Gineos in concrete ceilings, concrete walls or brick walls works with installation backboxes from B-System.



Listino Suggestito al
Pubblico
(IVA escl.)

Gineos ONE

SKU	Product	EUR
Gineos ONE (for Sonos Era 100, Era 100 Pro, One, One SL and Play: 1, also Denon Home 150)		
1051000	Gineos ONE (circular, white)	159.00
1052000	Gineos ONE (circular, anthracite)	159.00
1051500	Gineos ONE (square, white)	159.00
1052500	Gineos ONE (square, anthracite)	159.00
Gineos ONE (Bluesound Edition; for Pulse Flex 2i, BSP 200, BSP 125)		
1051010	Gineos Bluesound Edition (circular, white)	159.00
1051020	Gineos Bluesound Edition (circular, anthracite)	159.00
1051030	Gineos Bluesound Edition (square, white)	159.00
1051040	Gineos Bluesound Edition (square, anthracite)	159.00
1022220	Euroboxx M: Gineos backbox for concrete ceilings / concrete walls	119.00
1022221	Euroboxx M wall: Gineos backbox for concrete walls / brick walls	119.00




gineos®



Gineos Open

Gineos® OPEN

Flush-mounted installation enclosure for flush installation of various access points in concrete ceilings and brick walls, as well as suspended ceilings and all drywall constructions. Installation enclosure consisting of an EPS/EPP base body with a glued-in OSB rear wall cover and a waterproof MDF Exterior wood adapter on the front that can be filled or plastered. Ready for installation and easy to install.



i Paintable covers available in 240 mm or 300 mm

Gineos OPEN


Listino Sugerito al Pubblico
(IVA escl.)

SKU	Product	Installation depth	Dimension	EUR
Gineos OPEN (Drywall)				
1054100	Gineos OPEN 240	60 mm	368 × 368 × 78 mm	229.00
Maximum access-point dimensions: 215 mm round; 180 × 180 mm square; 60 mm height				
1054200	Gineos OPEN 300	60 mm	368 × 368 × 78 mm	249.00
Maximum access-point dimensions: 260 mm round; 240 × 240 mm square; 60 mm height				
Gineos OPEN (Concrete)				
1054300	Gineos OPEN 240	60 mm	390 × 390 × 133 mm	269.00
Maximum access-point dimensions: 215 mm round; 180 × 180 mm square; 60 mm height				
1054400	Gineos OPEN 300	60 mm	390 × 390 × 133 mm	289.00
Maximum access-point dimensions: 260 mm round; 240 × 240 mm square; 60 mm height				



Secoboxx

Universal installation box for drywalls and suspended ceilings. Installation box consisting of high-quality acoustic panels. Prepared and ready for installation and easy to mount.



i Special sizes available on request and at extra cost

Listino Suggestito al Pubblico
(IVA escl.)

SKU	Product	Installation depth	Dimension	EUR
1000149	Secoboxx XS 2nd Generation	100 mm	290 × 290 × 100 mm	99.00
1000150	Secoboxx S 2nd Generation	150 mm	290 × 290 × 150 mm	109.00
1000151	Secoboxx M 2nd Generation	150 mm	390 × 390 × 150 mm	139.00
1000152	Secoboxx L 2nd Generation	200 mm	390 × 390 × 200 mm	159.00
1000153	Secoboxx wall XS* 2nd Generation	100 mm	590 × 290 × 100 mm	149.00
1000154	Secoboxx wall S* 2nd Generation	100 mm	790 × 390 × 100 mm	199.00
1000155	Secoboxx wall M* 2nd Generation	100 mm	990 × 390 × 100 mm	229.00
1000156	Secoboxx wall L* 2nd Generation	100 mm	1190 × 390 × 100 mm	299.00

* All Secoboxxes are designed for installation in both ceilings and walls.

ExtensionKit

Accessory for bridging different ceiling mounting heights with installation loudspeakers (with too little clamping heights) in combination with installation backboxes from B-System.



i The B-System Extension Kit is suitable for the majority of all installation loudspeakers from 6 inch diameter or larger. Testing required on a case-by-case depending on the specific speaker model.


Extension Kit

**Listino
Suggerito al
Pubblico**
(IVA escl.)


SKU	Product	Dimensions	EUR
1000168	Extension set (4 units)	30 mm - 75 mm	42.00
1000169	Extension set (4 units)	70 mm - 115 mm	45.00

Special requests - Your Custom Backbox


In addition to our wide range of standard products, we also offer customized solutions for special requirements and project inquiries.



Your request




We plan



Our offer

BACKBOX FINDER



Backbox
Finder

BackboxFinder

The new speaker is based on our promise to make it easy for installers, integrators, dealers and brands to find the right installation backbox for the specific speaker model and exact building situation. And all at the same time.

Concrete ceilings, precast ceilings, brick and masonry walls, drywall and suspended ceilings combined with more than 600 included speaker models offer almost endless possibilities!

To avoid getting lost in this matrix, the new BackboxFinder now simply guides the user through these 4.500 data points and helps them find the right B-System backbox installation solution for their specific needs.

Highlights

- ✓ Over 30 speaker brands
- ✓ Current speaker data with a total of more than 600 custom install models included.
- ✓ All new solutions from B-System are integrated.
- ✓ Additional relevant information about the B-System solution is displayed on each individual results page.
- ✓ After submitting, all relevant product information will be sent to the user - automatically!
- ✓ Now also available in German and English to optimally support our international customers.



Advisory Services & Ordering

- ✓ Individual consultation by email and phone
- ✓ Multilingual support
- ✓ Key account contact in the B-System team
- ✓ Order online, by email or phone
- ✓ Documents and videos for planning and installation

Worldwide Shipping

- ✓ Express shipping available
- ✓ Worldwide shipping by UPS with tracking code
- ✓ Worldwide shipping by shipping partners (pallets)
- ✓ Shipment within 1-3 business days after receipt of order
- ✓ Attractive flat shipping rates, free shipping possible



Infrastructure

- ✓ Access to custom designs and special solutions
- ✓ Smooth workflows due to digital processes
- ✓ All products permanently in stock in large quantities
- ✓ Attractive payment conditions in Euro
- ✓ Liability insurance (10 million € amount insured))

Marketing & Sales Support

- ✓ Access to media content
- ✓ Access to digital planning documents and 3D data
- ✓ Access to B-System Backbox Finder platform
- ✓ Support for marketing activities
- ✓ Possibility of presentation on B-System website

Installation Backboxes from B-System

About Our Solutions:

- Our backboxes support the audio quality of custom install speakers and unwanted sound propagation in the building (air-borne noise) is significantly reduced.
- Our system architecture allows for a wide range of options, even for demanding applications such as exposed concrete ceilings or brick walls.
- Our backboxes protect loudspeakers and technology from dirt, moisture, dust and insects.
- High-quality and robust components used
- Versatile standard program suitable for all common loudspeaker brands and models
- Standardized and well-known products and installation workflows
- Numerous documents such as data sheets and installation instructions available for each product
- Personal consultation from the B-System team
- Products in use thousands of times for years - worldwide!



Warehouse
3,000 sqm



Shipping
Worldwide



Tools
Backbox Finder



Warranty
3 Years



Consultation
Individual

Quality



Made in Germany

All prices net (excl. VAT, excl. shipping) ex works

Shipping within EU:

0-2,500 EUR: shipping costs flat rate per order
from 2,500 EUR: free shipping

Note on deliveries to third countries:

B-System GmbH does not cover any import duties or import taxes raised at the shipping destination or customs. If these are charged to B-System GmbH, they will be passed on to the client.

B-SYSTEM

INSTALLATION SOLUTIONS

B-SYSTEM GmbH
Wilhelmstr. 20-5
78652 Deisslingen
Germany

Phone: +49 (0)7420 889 889
E-mail: info@b-system.com
Web: www.b-system.com